

Phone number catalog web service

WSDL: <https://www.direktinfo.fi/Puhnohaku/catalogdata.asmx?WSDL>

Client details

- Username is required and known.
- Reference is the reference data that can be used as categories for the invoice. Optional, unknown.
- Endusername is your system end-user information, such as user name. Required, unknown.
- Timestamp is the current UTC date and time, format yyyyymmddhhmmss, using a 24-hour format. For example, 201303151441. Information must match the server with a tolerance of 5 minutes. Required.
- Checksum is SHA1-algorithm hashcode for string username + endusername + timestamp + privatekey. For example, the string hashcode asiakaskayttaja201303151441abcdef is 22347B99D064684BDD1131F7F6B333A6D394E765. Required.
- Private key is a password that never exists in the message, but checksum based it is always checked.
- TO_number a billing code that mandatory depending on the product.

Catalog data

Request and reply: <https://www.direktinfo.fi/Puhnohaku/catalogdata.asmx?op=haeOsoite>

Puhelinnumero is phone number. Can include numbers, spaces, or dashes, and it can begin with Finnish country code +358.

Purchasing power forecast web service

Request and reply:

<https://www.direktinfo.fi/Puhnohaku/catalogdata.asmx?op=haeOstovoimaennuste>

Puhelinnumero is phone number. Can include numbers, spaces, or dashes, and it can begin with Finnish country code +358.